

1/16




Fig. 1

2/16




Fig. 2

3/16

300




Fig. 3

4/16




Fig. 4

5/16




Fig. 5

6/16




Fig. 6

7/16




Fig. 7




Fig. 9

8/16




Fig. 8

9/16




Fig. 10




Fig. 11




Fig. 12

12/16

1302

1300

BUSINESS PROCESS EDITOR

File

Edit

Publish

Help

Application Access Method

Process Flow

Access Method Name

OrderEntry

Access Method Type

Program Call

Properties

System

rchas001

Userid

rstevens

Password

PCM document

orderentrypgm

Browse

Documents

Input

orderentrypgm

Browse

Load

☒

PCML

☐

XML

Output

orderentrypgm

Browse

Load

☒

PCML

☐

XML

Field ID	Name	Default	Display
<div> <div>Input</div> <div> <div>XYZ</div> <div>inum</div> <div>q</div> </div> </div>	Item Number		<input checked="" type="checkbox"/>
	Item Quantity	1	<input checked="" type="checkbox"/>
<div> <div>Output</div> <div> <div>XYZ</div> <div>p</div> </div> </div>	Item Price		<input checked="" type="checkbox"/>

Fig. 13

13/16

1300

BUSINESS PROCESS EDITOR		
File	Edit	Publish Help
<div style="display: flex; justify-content: space-between;"> Application Access Method Process Flow </div>		
Protocol	Ariba	
Action	Order Request	
Access Method names	Order Entry	
Input Mappings		
<div style="margin-bottom: 5px;"> <input type="checkbox"/> Request Fields </div> <div style="margin-left: 20px;"> <input checked="" type="checkbox"/> B2B Header </div> <div style="margin-left: 40px;"> <input type="checkbox"/> Field 1 </div> <div style="margin-left: 20px;"> <input checked="" type="checkbox"/> Item Out </div> <div style="margin-left: 40px;"> <input checked="" type="checkbox"/> Item ID </div> <div style="margin-left: 40px;"> <input type="checkbox"/> SupplierPartID </div> <div style="margin-left: 40px;"> <input type="checkbox"/> @quantity </div>	<div style="margin-bottom: 5px;"> <input type="checkbox"/> Access Method Fields </div> <div style="margin-left: 20px;"> <input type="checkbox"/> Item Number </div> <div style="margin-left: 20px;"> <input type="checkbox"/> Item Quantity </div> <div style="margin-left: 20px;"> <input type="checkbox"/> Billing Address </div> <div style="margin-left: 20px;"> <input type="checkbox"/> Shipping Address </div>	<div style="text-align: center; padding-bottom: 5px;">Add Mappings</div> <div style="border: 1px solid black; height: 100px;"></div>
Output Mappings		
<div style="margin-bottom: 5px;"> <input type="checkbox"/> Response Fields </div> <div style="margin-left: 20px;"> <input checked="" type="checkbox"/> Item Out </div> <div style="margin-left: 40px;"> <input type="checkbox"/> @quantity </div>	<div style="margin-bottom: 5px;"> <input type="checkbox"/> Access Method Fields </div> <div style="margin-left: 20px;"> <input type="checkbox"/> Item Price </div> <div style="margin-left: 20px;"> <input type="checkbox"/> Shipping Date </div> <div style="margin-left: 20px;"> <input type="checkbox"/> Shipping Status </div>	<div style="text-align: center; padding-bottom: 5px;">Add Mappings</div> <div style="border: 1px solid black; height: 100px;"></div>
Access Method Fields		
<div style="margin-bottom: 5px;"> <input type="checkbox"/> Input </div> <div style="margin-left: 20px;"> <input type="checkbox"/> Item Number </div> <div style="margin-left: 20px;"> <input type="checkbox"/> Item Quantity </div> <div style="margin-bottom: 5px;"> <input type="checkbox"/> Output </div> <div style="margin-left: 20px;"> <input type="checkbox"/> Item Price </div>	<div style="border: 1px solid black; padding: 5px;"> <input type="checkbox"/> /itemOut/itemID/SupplierPartID </div> <div style="border: 1px solid black; padding: 5px;"> <input type="checkbox"/> /itemOut/@quantity </div> <div style="border: 1px solid black; padding: 5px;"> <input type="checkbox"/> /itemOut/@price </div>	<div style="text-align: center; padding-bottom: 5px;">Remove</div> <div style="border: 1px solid black; height: 100px;"></div> <div style="text-align: center; padding-bottom: 5px;">Remove All</div> <div style="border: 1px solid black; height: 100px;"></div>

Fig. 14

1500

DEPLOY FLOW INSTRUCTIONS FOR <INSTANCE NAME>

1502

Select Protocol	
<input type="radio"/>	Ariba
<input type="radio"/>	Metiom
<input type="radio"/>	

Next

Cancel

Exit the Tool

- Making selection and clicking
 Next starts a series of steps:
 - Step 1: Select Protocol (this screen)
 - Step 2: Select Marketplace
 - Step 3: Select Protocol elements supported and Flow Operations that support those elements.
 - Step 4: Finish and Deploy

Instances
 Suppliers
 Buyers
 Catalog
 Deployment

MESSAGE AREA

Fig. 15

15/16

1600

Instances
Suppliers
Buyers
Catalog
Deployment

SELECT MARKETPLACE FOR <INSTANCE NAME>

MARKETPLACE:

- select marketplace-

▽

Next

Only valid/known Marketplaces are shown selection required, next goes to next screen

Cancel

Exit the Tool

MESSAGE AREA

Fig. 16

1700

CONFIGURE JOE'S FISHMARKET FOR <INSTANCE NAME>

1710	Transaction	Subtype	Supplier	Buyer	Operation (Flow)
<input checked="" type="checkbox"/>	OrderMessage	<none>	*All ▽	*All ▽	JoeshFishOrder ▽
<input type="checkbox"/>	ProfileRequest	<none>	*All ▽	*All ▽	AribaProfile ▽
<input checked="" type="checkbox"/>	PunchOut	create	*All ▽	*All ▽	PunchOutCeate ▽
<input checked="" type="checkbox"/>		edit	*All ▽	*All ▽	JoeshPunchEdit ▽
<input type="checkbox"/>		inspect	*All ▽	*All ▽	Punchoutinspect ▽

1704

1706 1708 1712 1714

1701

Deploy

Deploy the Metadata

Advances

- Display and allow edit of supplier/Buyer
- Known Suppliers/ buyers in dropdown
- Selecting new Supplier/ Buyer creates new line

Previous

Edit

- Select which protocol messages and sub-types will be supported for this market
- Only Valid types for Protocol will be displayed
- Valid Operations come up in operation dropdown

MESSAGE AREA

Instances
Suppliers
Buyers
Catalog
Deployment

Fig. 17